

Variety Description


Variety

RUMBA

| | |
|------------------------------|-------------------------------|
| Species | White mustard |
| Botanical name | Sinapis alba |
| Ploidy | 2 |
| Seeding rate | 25–30 kg/ha as catch crop |
| Distance between rows | as cereals |
| Sowing period | from late July to late August |
| Sowing depth | 2–3 cm |

Agronomic figures*:

| | |
|---------------------------------------|---|
| Susceptibility to beet cyst nematodes | 2 |
| Development after sowing | 6 |
| Inclination to flower | 3 |
| Tendency to lodging | 2 |



Clarification of figures*:

1: very early, very low / 5: medium / 9: very late, very high

* **Source:** Bundessortenamt [Federal Plant Variety Office] 2016, state variety tests

Variety description

Owing to its outstanding beet cyst nematode-reducing rate, RUMBA is classified under resistant white mustard varieties. Because it exhibits a low inclination to flower, it can be sown early for effective nematode control. In addition, RUMBA is ideally suited for mulch sowing systems because of its high stability combined with its tendency to die out in winter, even in light frost conditions. RUMBA is characterised by an extremely low inclination to flower, which makes it a top variety for professional catch crop cultivation.

Most important characteristics

High mass formation in the early development
Nematode-resistant, grade 2
High stability
Tendency to winterkilling
Rapid root penetration

